

| Item | No. | Description | Price/Unit Euro | Total Euro |
|------|-----|--|--------------------|---------------|
| 1 | | <p>m² FischerPANEEL sheet thickness: <input type="checkbox"/> 0.75 mm <input type="checkbox"/> 0.88 mm supply length: mm as per DIN 18807, quality controlled, on available rail construction consisting of <input type="checkbox"/> steel profiles <input type="checkbox"/> cold steel sections ≤ 4 mm thickness <input type="checkbox"/> aluminium <input type="checkbox"/> timber static system(s):span support span(s):m cantilever length.....m end support width: intermediate support width: <input type="checkbox"/> ≥ 40 mm <input type="checkbox"/> ≥ 60 mm <input type="checkbox"/> ≥ 120 mm <input type="checkbox"/> mm <input type="checkbox"/> mm max. deflection: <input type="checkbox"/> l/150 <input type="checkbox"/> l/..... Surface design: <input type="checkbox"/> Side A 200 µm HPS 200 <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A 25 µm SP <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A 25 µm PVF2 <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A, other:..... <input type="checkbox"/> vertical <input type="checkbox"/> horizontal <input type="checkbox"/> diagonal under degrees out of vertical with side A, wide crown outside, including all necessary fastening elements licensed by building authorities according to the static calculation, fastening in valleys. Delivery and mounting</p> | | |
| 2 | | <p>m drip flashing for bottom edge of wall and horizontal joint made of strip galvanised steel sheet G 275 sheet thickness: 0.75 mm cut to measure: mm no. of bends: Surface design: <input type="checkbox"/> Side A like FischerPANEEL item: <input type="checkbox"/> Side A 200 µm HPS 200 <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A 25 µm SP <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A 25 µm PVF2 <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A, other:..... (Order no. FI.....and/or as per sketch no.) including fastening material Delivery and mounting</p> | | |
| | | | | |

| Item | No. | Description | Price/Unit Euro | Total Euro |
|------|-----|---|--------------------|---------------|
| 6 | | <p>m drip profile for gates, doors, light openings made of strip galvanised steel sheet G 275 sheet thickness: 0.75 mm cut to measure: mm no. of bends:</p> <p>Surface design: <input type="checkbox"/> Side A like FischerPANEEL item: <input type="checkbox"/> Side A 200 µm HPS 200 <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A 25 µm SP <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A 25 µm PVF2 <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A, other:..... (Order no. FI.....and/or as per sketch no.) including fastening material Delivery and mounting</p> | | |
| 7 | | <p>m drip profile for window sill with light openings, made of strip galvanised steel sheet G 275 sheet thickness: 0.75 mm cut to measure: mm no. of bends:</p> <p>Surface design: <input type="checkbox"/> Side A like FischerPANEEL item: <input type="checkbox"/> Side A 200 µm HPS 200 <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A 25 µm SP <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A 25 µm PVF2 <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A, other:..... (Order no. FI.....and/or as per sketch no.) including fastening material Delivery and mounting</p> | | |
| 8 | | <p>m verge flashing, consisting of verge flashing support, made of strip galvanised steel sheet G 275 sheet thickness: 1.00 mm cut to measure: mm no. of bends:</p> <p>Surface design: <input type="checkbox"/> Side A 25 µm SP/RSL, colour..... /RSL <input type="checkbox"/> 55%AlZn AZ 185 (Aluzinc) (Order no. FI.....and/or as per sketch no.) including fastening material Delivery and mounting and</p> <p>verge capping, made of strip galvanised steel sheet G 275 sheet thickness: 0.75 mm cut to measure: mm no. of bends:</p> <p>Surface design: <input type="checkbox"/> Side A like FischerPANEEL item: <input type="checkbox"/> Side A 200 µm HPS 200 <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A 25 µm SP <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A 25 µm PVF2 <input type="checkbox"/> colour..... /RSL <input type="checkbox"/> Side A, other:..... (Order no. FI.....and/or as per sketch no.) including fastening material Delivery and mounting</p> | | |

Enquiry Form: FischerPANEEL

| Item | No. | Description | Price/Unit Euro | Total Euro |
|------|-----|---|--------------------|---------------|
| 9 | | <p>m special edge flashing for</p> <p>..... made of strip galvanised steel sheet G 275 sheet thickness: mm cut to measure: mm no. of bends:</p> <p>Surface design:</p> <p><input type="checkbox"/> Side A like FischerPANEEL item:</p> <p><input type="checkbox"/> Side A 200 µm HPS 200 <input type="checkbox"/> colour..... /RSL</p> <p><input type="checkbox"/> Side A 25 µm SP <input type="checkbox"/> colour..... /RSL</p> <p><input type="checkbox"/> Side A 25 µm PVF2 <input type="checkbox"/> colour..... /RSL</p> <p><input type="checkbox"/> Side A, other:.....</p> <p>(as per sketch no.)</p> <p>including fastening material Delivery and mounting</p> | | |
| 10 | | <p>m cutting on the building site</p> <p><input type="checkbox"/> longitudinal cutting</p> <p><input type="checkbox"/> traverse cutting</p> <p><input type="checkbox"/> diagonal cutting</p> <p>with suitable cutting tools without flying sparks</p> <p style="text-align: right;">Additional charge</p> | | |
| 11 | | <p>m profile filler, closed-cell polyethylene foam, thickness 30 mm, matching the FischerPANEEL large profile rib (order no. FI 81.062)</p> <p style="text-align: right;">Delivery and mounting</p> | | |
| 12 | | <p>m profile filler, closed-cell polyethylene foam, thickness 30 mm, matching the FischerPANEEL small profile rib (order no. FI 81.063)</p> <p style="text-align: right;">Delivery and mounting</p> | | |
| 13 | | <p>m sealing strip illac 20 x 4 (order no. FI 81.003)</p> <p style="text-align: right;">Additional charge</p> | | |
| 14 | | <p>m compressed sealing strip illmod SFI 30 x 6-16 (order no. FI 81.001)</p> <p style="text-align: right;">Additional charge</p> | | |
| 15 | | <p>m thermal separating strip divi: therm 40 x 3 (order no. FI 81.012)</p> <p style="text-align: right;">Additional charge</p> | | |
| 16 | | <p>pc. self-sealing screw made of stainless steel type:</p> <p>(order no. FI.....)</p> <p style="text-align: right;">Additional charge</p> | | |
| 17 | | <p>pc. drilling screw made of stainless steel type:</p> <p>(order no. FI.....)</p> <p style="text-align: right;">Additional charge</p> | | |
| 18 | | <p>pc. blind rivet made of aluminium/stainless steel type:</p> <p>(order no. FI.....)</p> <p style="text-align: right;">Additional charge</p> | | |

| Item | No. | Description | Price/Unit Euro | Total Euro |
|------|-----|--|--------------------|---------------|
| 19 | | Static calculation as per DIN 18807 including the connections of the profiled elements to the substructure, in triplicate. Flat rate | | |
| 20 | | Laying plans according to the requirements of DIN 18807 Part 3, in triplicate Flat rate | | |
| 21 | | hrs. hourly wage work chief erecting engineer | | |
| 22 | | hrs. hourly wage work skilled erector | | |
| 23 | | hrs. hourly wage work unskilled erector | | |
| 24 | | interruptions on the building site flat rate | | |
| | | Net total + VAT | | |
| | | | | |

A large, empty rectangular box with a thin black border, intended for the user to provide details for the enquiry form.