

Item	No.	Description	Price/Unit Euro	Total Euro
1		<p><b>m<sup>2</sup> FischerWELLE</b> Sinus <input type="checkbox"/> 18, <input type="checkbox"/> 27, <input type="checkbox"/> 35, <input type="checkbox"/> 42,                      manufactured from  <input type="checkbox"/> <b>Aluminium</b> AlMn 0,5 Mg 0.5 sheet thickness: <input type="checkbox"/> 0,70 mm  <input type="checkbox"/> polished, smooth <input type="checkbox"/> 0.80 mm <input type="checkbox"/> 1.00 mm  <input type="checkbox"/> polished, stucco                      supply length: ..... mm                      Surface design:  <input type="checkbox"/> Side A 25 µm SP <input type="checkbox"/> colour..... /RSL  <input type="checkbox"/> <b>steel sheet</b> G 275 sheet thickness:                      as per DIN EN 10147 <input type="checkbox"/> 0.60 mm <input type="checkbox"/> 0,70 mm  <input type="checkbox"/> 0.75 mm <input type="checkbox"/> 0.80 mm                      supply length: ..... mm <input type="checkbox"/> 1.00 mm <input type="checkbox"/> 1.25 mm                       Surface design:  <input type="checkbox"/> Side A 25 µm SP colour..... /RSL  <input type="checkbox"/> Side A 15 µm SP colour..... /RSL  <input type="checkbox"/> 55% AlZn AZ 185 (Aluzinc)  <input type="checkbox"/> Side A, other:.....                      on available rail structure consisting of:  <input type="checkbox"/> steel profiles  <input type="checkbox"/> cold steel sections ≤ 4 mm thickness  <input type="checkbox"/> aluminium  <input type="checkbox"/> timber                      static system(s): .....span support                      span(s): .....m                      cantilever length.....m                      end support width: intermediate support width:  <input type="checkbox"/> ≥ 40 mm <input type="checkbox"/> ≥ 60 mm <input type="checkbox"/> ≥ 120 mm  <input type="checkbox"/> ..... mm <input type="checkbox"/> ..... mm                      max. deflection: <input type="checkbox"/> l/150 <input type="checkbox"/> l/.....                      laying :  <input type="checkbox"/> vertical  <input type="checkbox"/> horizontal  <input type="checkbox"/> diagonal under ..... degrees out of vertical with side A on the                      outside, including all necessary fastening elements licensed by building                      authorities according to the static calculation  <input type="checkbox"/> fastening through the valley  <input type="checkbox"/> fastening through the crown  <input type="checkbox"/> fastening through the crown with spherical caps                      cover over <input type="checkbox"/> half corrugation <input type="checkbox"/> full corrugation                      Delivery and mounting</p>		

Enquiry Form: FischerWELLE

Item	No.	Description	Price/Unit Euro	Total Euro
2		<p><b>m drip flashing</b> for bottom edge of wall, made of strip galvanised steel sheet G 275  sheet thickness: 0.75 mm cut to measure: ..... mm  no. of bends: .....</p> <p>Surface design:  <input type="checkbox"/> Side A like FischerWELLE item: .....  <input type="checkbox"/> Side A 200 µm HPS 200 colour..... /RSL  <input type="checkbox"/> Side A 25 µm SP colour..... /RSL  <input type="checkbox"/> Side A 25 µm PVF2 colour..... /RSL  <input type="checkbox"/> Side A, other:.....  (Order no. Fl.....and/or as per sketch no. ....)  including fastening material Delivery and mounting</p>		
3		<p><b>m outer corner profile</b> made of strip galvanised steel sheet G 275  sheet thickness: 0.75 mm cut to measure: ..... mm  no. of bends: .....</p> <p>Surface design:  <input type="checkbox"/> Side A like FischerWELLE item: .....  <input type="checkbox"/> Side A 200 µm HPS 200 colour..... /RSL  <input type="checkbox"/> Side A 25 µm SP colour..... /RSL  <input type="checkbox"/> Side A 25 µm PVF2 colour..... /RSL  <input type="checkbox"/> Side A, other:.....  (Order no. Fl.....and/or as per sketch no. ....)  including fastening material Delivery and mounting</p>		
4		<p><b>m inner corner profile</b> made of strip galvanised steel sheet G 275  sheet thickness: 0.75 mm cut to measure: ..... mm  no. of bends: .....</p> <p>Surface design:  <input type="checkbox"/> Side A like FischerWELLE item: .....  <input type="checkbox"/> Side A 200 µm HPS 200 colour..... /RSL  <input type="checkbox"/> Side A 25 µm SP colour..... /RSL  <input type="checkbox"/> Side A 25 µm PVF2 colour..... /RSL  <input type="checkbox"/> Side A, other:.....  (Order no. Fl.....and/or as per sketch no. ....)  including fastening material Delivery and mounting</p>		
5		<p><b>m side edge flashing</b> for gates, doors, light openings made of strip galvanised steel sheet G 275  sheet thickness: 0.75 mm cut to measure: ..... mm  no. of bends: .....</p> <p>Surface design:  <input type="checkbox"/> Side A like FischerWELLE item: .....  <input type="checkbox"/> Side A 200 µm HPS 200 colour..... /RSL  <input type="checkbox"/> Side A 25 µm SP colour..... /RSL  <input type="checkbox"/> Side A 25 µm PVF2 colour..... /RSL  <input type="checkbox"/> Side A, other:.....  (Order no. Fl.....and/or as per sketch no. ....)  including fastening material Delivery and mounting</p>		

Item	No.	Description	Price/Unit Euro	Total Euro
6		<p><b>m drip profile</b> over gates, doors, light openings made of strip galvanised steel sheet G 275 sheet thickness: 0.75 mm cut to measure: ..... mm no. of bends: .....</p> <p>Surface design:  <input type="checkbox"/> Side A like FischerWELLE item: .....  <input type="checkbox"/> Side A 200 µm HPS 200 colour..... /RSL  <input type="checkbox"/> Side A 25 µm SP colour..... /RSL  <input type="checkbox"/> Side A 25 µm PVF2 colour..... /RSL  <input type="checkbox"/> Side A, other:.....                      (Order no. FI.....and/or as per sketch no. ....)                      including fastening material Delivery and mounting</p>		
7		<p><b>m drip profile</b> for window sill with light openings, made of strip galvanised steel sheet G 275 sheet thickness: 0.75 mm cut to measure: ..... mm no. of bends: .....</p> <p>Surface design:  <input type="checkbox"/> Side A like FischerWELLE item: .....  <input type="checkbox"/> Side A 200 µm HPS 200 colour..... /RSL  <input type="checkbox"/> Side A 25 µm SP colour..... /RSL  <input type="checkbox"/> Side A 25 µm PVF2 colour..... /RSL  <input type="checkbox"/> Side A, other:.....                      (Order no. FI.....and/or as per sketch no. ....)                      including fastening material Delivery and mounting</p>		
8		<p><b>m verge flashing, consisting of verge flashing support,</b> made of strip galvanised steel sheet G 275 sheet thickness: 1.00 mm cut to measure: ..... mm no. of bends: .....</p> <p>Surface design:  <input type="checkbox"/> Side A 25 µm SP/RSL, colour..... /RSL  <input type="checkbox"/> 55%AlZn AZ 185 (Aluzinc)                      (Order no. FI.....and/or as per sketch no. ....)                      including fastening material Delivery and mounting                      and</p> <p><b>verge capping,</b> made of strip galvanised steel sheet G 275 sheet thickness: 0.75 mm cut to measure: ..... mm no. of bends: .....</p> <p>Surface design:  <input type="checkbox"/> Side A like wall FischerWELLE item: .....  <input type="checkbox"/> Side A 200 µm HPS 200 colour..... /RSL  <input type="checkbox"/> Side A 25 µm SP colour..... /RSL  <input type="checkbox"/> Side A 25 µm PVF2 colour..... /RSL  <input type="checkbox"/> Side A, other:.....                      (Order no. FI.....and/or as per sketch no. ....)                      including fastening material Delivery and mounting</p>		

Please tick as appropriate



Item	No.	Description	Price/Unit Euro	Total Euro
13		<p><b>m side edge flashing</b> EL 03 / EL 53 with connection lug for horizontally laid FischerWELLE, made of aluminium</p> <p>Surface design:</p> <p><input type="checkbox"/> anodised</p> <p><input type="checkbox"/> powder coated colour..... /RSL</p> <p><input type="checkbox"/> spray-painted colour..... /RSL</p> <p>Order no. :</p> <p><input type="checkbox"/> FI ..... (EL 03 for FischerWELLE Sinus 18 and 27)</p> <p><input type="checkbox"/> FI ..... (EL 53 for FischerWELLE Sinus 35 and 42)</p> <p>including fastening material Delivery and mounting</p>		
14		<p><b>m side edge flashing</b> EL 04 / EL 54 for horizontally laid corrugated profiles, made of aluminium</p> <p>Surface design:</p> <p><input type="checkbox"/> anodised</p> <p><input type="checkbox"/> powder coated colour..... /RSL</p> <p><input type="checkbox"/> spray-painted colour..... /RSL</p> <p>Order no. :</p> <p><input type="checkbox"/> FI ..... (EL 04 for FischerWELLE Sinus 18 and 27)</p> <p><input type="checkbox"/> FI ..... (EL 54 for FischerWELLE Sinus 35 and 42)</p> <p>including fastening material Delivery and mounting</p>		
15		<p><b>m pilaster profile</b> EL 05 for horizontally laid FischerWELLE, made of aluminium</p> <p>Surface design:</p> <p><input type="checkbox"/> anodised</p> <p><input type="checkbox"/> powder coated colour..... /RSL</p> <p><input type="checkbox"/> spray-painted colour..... /RSL</p> <p>Order no. :</p> <p><input type="checkbox"/> FI ..... (EL 05 for FischerWELLE Sinus 18 and 27)</p> <p>including fastening material Delivery and mounting</p>		
16		<p><b>pc. joint connector</b> made of polyamide EL09/EL59</p> <p><input type="checkbox"/> order no.: FI ..... (EL 09 for FischerWELLE Sinus 18 and 27)</p> <p><input type="checkbox"/> order no.: FI ..... (EL 59 for FischerWELLE Sinus 35 and 42)</p>		
17		<p><b>m joint pilaster</b> for horizontally laid FischerWELLE</p> <p>sheet thickness: <input type="checkbox"/> 0.70 mm <input type="checkbox"/> 0.80 mm <input type="checkbox"/> 1.00 mm</p> <p>surface design:</p> <p><b>aluminium:</b></p> <p><input type="checkbox"/> side A 25 µm SP colour: RAL 9006/RSL</p> <p><b>strip galvanised steel sheet G 275:</b></p> <p><input type="checkbox"/> side A 25 µm SP colour: RAL 9006/RSL</p> <p>Order no. :</p> <p><input type="checkbox"/> FI ..... (aluminium)</p> <p><input type="checkbox"/> FI ..... (steel)</p> <p>including fastening material Delivery and mounting</p>		

Please tick as appropriate

Enquiry Form: FischerWELLE

Item	No.	Description	Price/Unit Euro	Total Euro
18		<p><b>m outer corner pilaster</b> for horizontally laid FischerWELLE sheet thickness: <input type="checkbox"/> 0.70 mm <input type="checkbox"/> 0.80 mm <input type="checkbox"/> 1.00 mm surface design: <b>aluminium:</b> <input type="checkbox"/> side A 25 µm SP colour: RAL 9006/RSL <b>strip galvanised steel sheet G 275:</b> <input type="checkbox"/> side A 25 µm SP colour: RAL 9006/RSL Order no. : <input type="checkbox"/> FI ..... (aluminium) <input type="checkbox"/> FI ..... (steel) including fastening material Delivery and mounting</p>		
19		<p><b>m cutting</b> on the building site <input type="checkbox"/> longitudinal cutting <input type="checkbox"/> traverse cutting <input type="checkbox"/> diagonal cutting with suitable cutting tools without flying sparks Additional charge</p>		
20		<p><b>m² light plates</b> for FischerWELLE Sinus <input type="checkbox"/> 18, <input type="checkbox"/> 27, <input type="checkbox"/> 35, <input type="checkbox"/> 42 made from polyvinyl chloride (PVC) 1.5 mm thick with max. rail spacing of ..... m, including suitable fastening material (order no.: FI .....) Delivery and mounting</p>		
21		<p><b>m profile filler</b>, closed-cell polyethylene foam, thickness 30 mm, suitable for FischerWELLE Sinus ..... (order no.: FI .....) Delivery and mounting</p>		
22		<p><b>m sealing strip</b> illac 20 x 4 (order no. FI 81.003) Additional charge</p>		
23		<p><b>m compressed sealing strip</b> illmod SFI 30 x 6-16 (order no. FI 81.001) Additional charge</p>		
24		<p><b>m thermal separating strip</b> divi: therm 40 x 3 (order no. FI 81.012) Additional charge</p>		
25		<p><b>pc. EJOT ORKAN spherical cap</b> for FischerWELLE roof elements Surface design: <input type="checkbox"/> aluminium <input type="checkbox"/> powder coated <input type="checkbox"/> spray-painted <input type="checkbox"/> coated colour..... Order no.: FI ..... (W 24 for FischerWELLE Sinus 18 and 27) Order no.: FI ..... (W 33 for FischerWELLE Sinus 35) Order no.: FI ..... (W 48 for FischerWELLE Sinus 42)</p>		
26		<p><b>pc. self-sealing screw</b> made of stainless steel type: ..... (order no. FI.....) Additional charge</p>		

Item	No.	Description	Price/Unit Euro	Total Euro
27		<b>pc. drilling screw</b> made of stainless steel type: ..... (order no. Fl.....) Additional charge		
28		<b>pc. blind rivet</b> made of aluminium/stainless steel type: ..... (order no. Fl.....) Additional charge		
29		<b>Static calculation</b> as per DIN 18807 including the connections of the profiled sheets to the substructure, in triplicate. Flat rate		
30		<b>Laying plans</b> according to the requirements of DIN 18807 Part 3, in triplicate Flat rate		
31		<b>hrs. hourly wage work</b> chief erecting engineer		
32		<b>hrs. hourly wage work</b> skilled erector		
33		<b>hrs. hourly wage work</b> unskilled erector		
34		<b>interruptions on the building site</b> flat rate		
		<b>Net total + VAT</b>		

A large, empty rectangular box with a thin black border, intended for the user to provide details for their enquiry.